

LOOP-LOC / ULTRA-LOC SOLID

Fax To: 301-963-1112

MEASURING FORM

Email To: info@hydropool.com

DEALER INFORMATION

SHIPPING INSTRUCTIONS

DEALER CODE: _____ DATE: _____

SHIP TO: _____

COMPANY NAME: HYDROPOOL.COM

ADDRESS: _____

ADDRESS: 7400 LINDBERGH DRIVE

CITY: _____ STATE: _____ ZIP: _____

CITY: GAITHERSBURG STATE: MD ZIP: 20879

SHIP VIA

JOB NAME: _____

- BEST WAY
 AIR SERVICE: Overnight 2nd Day 3rd Day
 CUSTOMER PICK-UP
 MOTOR FREIGHT - Please specify carrier: _____

PO#: _____

COVER INFORMATION - SPECIFIC COVER TYPE MUST BE CHOSEN! IF NO TYPE IS CHOSEN LOOP-LOC WILL GIVE ONLY ONE QUOTE FOR THE GREEN MESH SAFETY COVER.

POOL TYPE: In-Ground On-Ground

MESH COVERS

- LOOP-LOC MESH GREEN SAFETY COVER
 Brass Anchors Wood Deck Anchors (Up Charge)
 Masonry Anchor Collars (Up Charge)
- LOOP-LOC DESIGNER COLOR MESH ONLY
 Blue Black Gray
 Brass Anchors Wood Deck Anchors (Up Charge)
 Masonry Anchor Collars (Up Charge)
- LOOP-LOC ON-GROUND SWIMMING POOL COVER
 Deck must be self supporting.
 On-Ground Brackets Wood Deck Anchors
- COMMERCIAL COVER
 Over 2100 square feet - Rectangle & Formfit made with approximate 3' sections.
 Skimmer Pool Gutter Pool (Send photo's & give all dimensions.)



ULTRA-LOC SOLID COVERS

- ULTRA-LOC SOLID SAFETY WITH MESH DRAINS
 (Solid Coated Green Mesh w/Mesh Drains)
 Brass Anchors Wood Deck Anchors (Up Charge)
 Masonry Anchor Collars (Up Charge)
- ULTRA-LOC SOLID SAFETY - NO DRAINS WITH PUMP
 (Solid Coated Green Mesh, No Drains, Loop-Loc's Automatic Cover Pump must be purchased at an additional cost to be considered as a Safety Cover.)
 Brass Anchors Wood Deck Anchors (Up Charge)
 Masonry Anchor Collars (Up Charge)
- REPLACEMENT COVER - show existing anchor placement or return old cover, freight pre-paid. Specify if new hardware is required.
 Anchors Springs
- SPECIAL RECTANGLE (Mesh or Solid - additional cost)
 Any rectangle made with approximate 3' sections.
 Required for Rectangles w/10' or more of raised wall treatment.

ADDITIONAL HARDWARE NEEDED (USE IF EXTRA HARDWARE IS REQUIRED ONLY)

Please note any additional hardware with quantities here: _____ / _____ / _____
 _____ / _____ / _____

PLEASE CHECK THE APPROPRIATE BOX:

ESTIMATE

ORDER

If one box is not checked, we will consider this an estimate. Please include your deposit check to expedite delivery!

ADDITIONAL INFORMATION

CONFIRMING

If this job has been submitted previously, please check the Additional or Confirming boxes.

LOOP-LOC, LTD.
 390 Motor Parkway
 Hauppauge, NY 11788



LOOP-LOC
 POOL COVERS

No Compromises... No Excuses!

1-800-LOC-LOOP
 In New York State 631-582-2626
 Fax #: 631-582-2636, WWW.LOOPLOC.COM

LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID

LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID LOOP-LOC ULTRA-LOC SOLID

LOOP-LOC, LTD. 2005

COMPANY NAME: _____ JOB NAME/P.O.#: _____

A		B		A		B		A		B	
1				21				41			
2				22				42			
3				23				43			
4				24				44			
5				25				45			
6				26				46			
7				27				47			
8				28				48			
9				29				49			
10				30				50			
11				31				51			
12				32				52			
13				33				53			
14				34				54			
15				35				55			
16				36				56			
17				37				57			
18				38				58			
19				39				59			
20				40				60			

REQUIRED INFORMATION!

DISTANCE POINT A TO POINT B _____

POINT TO POINT CROSS DIMENSIONS

PT. ____ to PT. ____	PT. ____ to PT. ____
Distance = _____	Distance = _____
PT. ____ to PT. ____	PT. ____ to PT. ____
Distance = _____	Distance = _____

RAISED AREAS

Begins @ PT. # _____ Ends @ PT. # _____

Begins @ PT. # _____ Ends @ PT. # _____

POOL TYPE

Gunit Package On-Ground

Indicate Package or On-Ground Manufacturer

COPING INFORMATION

Aluminum Receptor Coping Width _____

Other/Specify _____

Is Coping Rough? YES NO

Price W/Under Cover Padding? YES NO

DECKING INFORMATION

3' 3' Or More 4' Or More

Less Than 3'- How Much Deck Is Available? _____

Deck Type _____

Loop Loc Pipes Wanted For Entire Cover? YES NO


What Is Corner Radius? _____

Do You Want Cut Corners? YES NO

PROVIDE INSIDE POOL DIMENSIONS ONLY • SHOW LOCATION OF POINTS "A" & "B" IN RELATION TO POOL • SHOW ALL OBSTRUCTIONS & PLANTERS
 • SHOW AREAS WHERE DECK IS LESS THAN 3' FROM WATERLINE TO OUTSIDE OF DECK INCLUDING COPING

**** DISTANCE FROM POINT "A" TO POINT "B" = _____ ****

"A-B" Measurements cannot be used unless this distance is given!



AVOID DELAYS IN PROCESSING BY ANSWERING ALL THE QUESTIONS BELOW!

	YES	NO
1. Are there any non-removable handrails, grabrails, or ladders?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. "A-B" dimensions are required to front center of all rails, blocks, cups, and to the points where rails dip below coping.		
b. Distance rails extend into pool _____ Distance rails are set back from pool _____ Type of grabrail: <input type="checkbox"/> Rail <input type="checkbox"/> Concrete block/Anthony type		
2. Are there any raised rail sockets?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. "A-B" measure front center of socket.		
b. Height of sockets _____		
3. Are there any grab rocks?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, PLEASE SEND PHOTO! "A-B" front center of each grab rock, and provide width of each.		
b. Width of each grab rock. _____ Distance grab rocks are set back from pool _____		
4. Is there a non-removable fillspout?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. "A-B" dimensions needed for start and end of pipe.		
b. Fillspout is: <input type="checkbox"/> Level with deck <input type="checkbox"/> Raised If raised, how high? _____ Distance set back from pool _____		
c. Is end of spout below coping?.....	<input type="checkbox"/>	<input type="checkbox"/>
Distance into pool _____ Distance below coping level _____		
5. Is there a dive stand?.....	<input type="checkbox"/>	<input type="checkbox"/>
Distance set back from pool _____ "A-B" Measure base if closer than 2' from poolline.		
a. Is diving board removable?.....	<input type="checkbox"/>	<input type="checkbox"/>
b. Is LOOP-LOC Dive Stand Kit required?.....	<input type="checkbox"/>	<input type="checkbox"/>
6. Is there a dive rock?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, PLEASE SEND PHOTO! "A-B" the sides and front of rock, as well as the pool wall, using 1' intervals. PT. #s _____		
b. Distance rock overhangs pool edge _____ Distance rock extends below deck level _____		
7. Are there slide legs within 2' of pool?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, give "A-B" dimensions to each leg, and give the distance each is set back from pool edge.		
8. Is there a spa? If yes, PLEASE SEND PHOTO!	<input type="checkbox"/>	<input type="checkbox"/>
a. Is spa to be included in this estimate/order?.....	<input type="checkbox"/>	<input type="checkbox"/>
Is separate cover required for spa?.....	<input type="checkbox"/>	<input type="checkbox"/>
One cover for pool and spa?.....	<input type="checkbox"/>	<input type="checkbox"/>
b. Is spa raised above pool?.....	<input type="checkbox"/>	<input type="checkbox"/>
If yes, how high? _____		
c. Is spa dividing wall flush with top of coping?.....	<input type="checkbox"/>	<input type="checkbox"/>
"A-B" DIMENSIONS REQUIRED ALONG SPA WALL ON BOTH SPA & POOL SIDE OF WALL.		
d. Does spa wall have an open spillway?.....	<input type="checkbox"/>	<input type="checkbox"/>
If yes, "A-B" dimensions are required to locate spillway.		
e. If solid w/drains, is drain panel wanted in spa area?.....	<input type="checkbox"/>	<input type="checkbox"/>
f. Are there any other specific spa cover design instructions?.....	<input type="checkbox"/>	<input type="checkbox"/>
Please specify! _____		

	YES	NO
9. Is there a planter or grass area?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, PLEASE SEND PHOTO , and give "A-B" dimensions. PT #s _____ / _____ / _____		
b. Installation method in planters: <input type="checkbox"/> Anchor-in-pipe. Do you want Loop-Loc Pipes?... <input type="checkbox"/> <input type="checkbox"/> Loop-Loc Stake* <input type="checkbox"/> * (Number of stakes must not exceed 10% of total installation for safety and warranty qualifications.)		
10. Is there a raised wall, raised bond beam, or raised planter?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, PLEASE SEND PHOTO!		
b. Is wall strong enough for cover to attach to it with snap hooks and eyebolts?.....	<input type="checkbox"/>	<input type="checkbox"/>
c. "A-B" the beginning and end of the raised areas, as well as points along the wall, at 1' intervals.		
d. Height of wall _____ (Please note: all Rectangles with 10' or more of raised wall must be priced as a Special Rectangle.)		
11. Is there a waterfall or rock formation?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, PLEASE SEND PHOTO! "A-B" the beginning, the end, and the front and sides of the formation, as well as the pool wall, at 1' intervals.		
b. Is wall strong enough for cover to attach to it with snap hooks and eyebolts?.....	<input type="checkbox"/>	<input type="checkbox"/>
c. Distance rocks overhang pool edge _____		
12. Are there varying deck levels?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, PLEASE SEND PHOTOS! Indicate height of each level change, and "A-B" each level, including points on risers to show angle away from pool edge.		
13. If you answered yes to any questions in 10 - 12 please select treatment wanted below:		
<input type="checkbox"/> Raised Wall Treatment <input type="checkbox"/> Up & Over Treatment (No opposing eyebolts for SAFETY cover) (SAFETY Limits: Max. Step Ht. 9"; Steps Min., 3' Apart; Max. Total Rise 18".)		
(LOOP-LOC will consider design preference secondary to SAFETY performance, unless otherwise instructed by dealer.)		
14. Is there a wood deck area?.....	<input type="checkbox"/>	<input type="checkbox"/>
a. If yes, show location on sketch.		
b. Are Loop-Loc Wood Deck Anchor Flanges required?.....	<input type="checkbox"/>	<input type="checkbox"/>
15. ON-GROUND POOLS: Deck <u>must</u> be self supporting!		
a. Are there varying deck sizes?(If Yes, submit sketch.).....	<input type="checkbox"/>	<input type="checkbox"/>
b. If deck is wood indicate: <input type="checkbox"/> Loop-Loc Wood Deck Flanges <input type="checkbox"/> Loop-Loc On-Ground Brackets		
16. COMMERCIAL POOLS: (ie: over 2,100 sq. ft. - MESH only).....	<input type="checkbox"/>	<input type="checkbox"/>
Pool type: <input type="checkbox"/> Skimmer <input type="checkbox"/> Gutter If gutter pool, PLEASE SEND PHOTO and give all gutter dimensions		
17. Is mesh cover to be manufactured in a Designer Color ?.....	<input type="checkbox"/>	<input type="checkbox"/>
What color? <input type="checkbox"/> Blue <input type="checkbox"/> Gray <input type="checkbox"/> Black		
18. Are there any specific design instructions? Please specify! _____ _____		

Contact: _____
Job Name:/P.O.#: _____

Dealer/Company Name: HYDROPOOL . COM
Phone# 800-469-7665 Fax# 301-963-1112

MEASURING INSTRUCTIONS

1. Begin with a freehand sketch indicating inside pool dimensions. Include deck area, planters and any obstructions within 3' of the waterline. **A photo of the pool is needed when rocks, waterfalls, raised walls, spas or anything out of the ordinary exists.**
 2. Establish two points, "A-B" with "A" on the left as shown. "A-B" line must be at least 3' away from the pool and 2/3 the length of the pool; 20'-25' is typical (show this on the sketch). To mark "A-B" points on deck - use chalk marks, on ground - use stakes in the dirt.
- NOTE:** The "A-B" line **must never** cross the pool line and should be approximately 3' away from the pool at the closest point (4' to 5' away for pools over 44' long).
3. Using chalk, mark and number points along the inside edge of the pool at approximately 3' intervals. Number all corner points, ladders, handrails, grabrails, slide legs, rocks, spillways, spa walls separating spa and pool, fill spout and dive stand. **1' to 2' intervals should be used in small or tight radius areas and raised wall areas.** At least 3 points along straight walls.
 4. Measurements are now taken from point "A" to point #1, then point #2, and all the way around the pool. Then measure from point "B" to same point #1 and then #2, as you did for point "A". Measurements are listed in column format as shown.
 5. Take measurements **between 2 known points** to determine the **length and width** of the pool. Additional measurements for difficult pools are suggested. Cross dimensions to any raised beam obstacles are also recommended.

NO.	A	B
1	12'-3"	28'-5"
2	13'-8"	29'-7"
3	14'-0"	32'-6"
4		
5		
6		
7		
8		
9		
10	CONTINUE	CONTINUE
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		

